Contents

- 3 Introduction
- 6 Our core technologies
- 8 Loudspeakers
- 60 Electronics
- 92 Specifications



Experience the extraordinary

Since 2005, Steinway Lyngdorf has been the pinnacle of the audio industry. Our name is, and always has been, synonymous with impeccable craftsmanship and 21st century technologies.

From the smallest electronic component to the grandest speaker, every product in the Steinway Lyngdorf line is pure perfection. Cutting-edge technologies combined with the touch of master craftsmen – that's the singular difference of Steinway Lyngdorf products.

Designed, developed, and manufactured in Denmark, Steinway Lyngdorf sound systems are the only systems in the world that are qualified to be manufactured in collaboration with Steinway & Sons.

Steinway Lyngdorf brings together Steinway & Sons, makers of the world's finest pianos for more than 170 years, and Peter Lyngdorf, one of the most forward-thinking audio innovators of our time.

The collaboration is based on an ambitious promise – that Steinway Lyngdorf systems would reproduce the sound of a Steinway & Sons grand piano to the highest degree possible.



Our

Technologies

RoomPerfectTM



In simplest terms, we have rewritten the rule book for what is required to achieve pure, accurate sound quality in any environment.


RoomPerfect™ is one of the world's most sophisticated solutions for adapting the sound system to the environment. It delivers an uncompromised sound experience equally well to living rooms, media rooms, and home theaters with far less demands to design the room around the sound system.

Fully digital



Fully digital processors and amplifiers without sound-deteriorating digital-to-analog conversions ensure sound is replayed completely intact, delivering the purest sound possible.

Bass management



With our systems, you are able to pinpoint even the lowest frequencies in a 360 degree circle around you. Thus, bass notes are replayed exactly the way the sound engineer intended.

Boundary woofers



Able to handle the lowest frequencies with unprecedented speed and accuracy, our boundary woofers dramatically improve attack and timing when placed in the recommended position.

Perfect performance



Our amplifiers and processors feature technologies that decrease main power requirements, eliminate the need for a power conditioner, and increase reliability. With passive cooling, they are an energyefficient addition to any Steinway Lyngdorf series.

Our Loudspeakers



Model D

Highest sound quality from the original Steinway & Sons loudspeaker





A flagship masterpiece

The Model D by Steinway Lyngdorf offers one of the most exquisite audio experiences in the world. This flagship masterpiece is designed for the most discriminating audio aficionado.

Combining state-of-the-art innovations in sound reproduction with finely-crafted aesthetics, the Model D is the first and best system of its kind.

A rugged powerhouse of strength

The Model D is a full range floor-standing dipole speaker which emits sound from both front and back. Unrestricted by the vibrations of conventional cabinets, it interacts with the room like a Steinway & Sons grand piano does, resulting in extremely open and life-like musicality, with no resonance and no coloration.

With more than 170 hours of precision machining behind each speaker, the Model D speaker is a rugged powerhouse of strength and performance.

Model C

Elegant loudspeaker with highest sound quality and enhanced room placement flexibility





Outstanding sound purity

The Model C provides outstanding sound purity and resolution, based on an open baffle dipole design which prevents any sound constraints from a speaker enclosure. The renowned Air Motion Transformer tweeter and two magnesium midrange drivers are given free rein to reproduce soundwaves, moving freely and interacting with

the room like an instrument would. The tweeter consists of an ultra-thin, folded Kapton diaphragm between extremely powerful neodymium magnets, achieving a completely clear, high resolution, distortion-free performance even during the loudest crescendos.



High room placement flexibility

Freeing the Model C loudspeakers from the woofers allows a very elegant and slim design with more flexibility for room placement, while the bass performance improves due to the unique boundary woofer concept. Two accompanying woofers are placed elsewhere in the room near the room corners, ensuring an extraordinary sound reproduction of any music or soundtrack, with tight yet also deep and powerful bass, up to astonishingly high volume levels.

Design and finish on highest quality level

The elegant Model C design with black lacquered front, bronze-gold frame visible through the open back, black strings and polished gold details resembles the iconic Steinway & Sons pianos. The accompanying boundary woofers are available in different sizes, shapes, and finishes, from in-room to wall-integrated models. Every Model C loudspeaker is assembled and finished by hand in Skive, Denmark. Customized lacquers and finishes are available on request and special order.

Model B

Full-range loudspeaker with holographic and powerful sound





Powerful and impressive

The Steinway & Sons Model B not only looks powerful with its impressive line-up of drivers, but together with our digital amplification, the resulting sound reproduction is nothing short of stunning.

A dipole speaker requires a large front area to separate the front and rear radiation of low frequency sound. In the Model B, the sides are elegantly folded back to add to the acoustic width of the speaker. Furthermore, the six woofer drivers add up to an extremely large radiating surface capable of producing a linear output down to 25 Hz.

Full effect of the reflecting sound

A dipole speaker generally works with the room acoustics, unlike normal box speakers, and if the room and décor are not completely symmetrical around the speakers, RoomPerfectTM will clean up the negative effects to the sound.

The Steinway Lyngdorf Model B is an engineering work of art and an integral member of the impressive line-up of Steinway & Sons speakers.

Model A

Full-range loudspeaker with a powerful sound designed for room-friendly placement





Powerful and space-saving

The Steinway & Sons Model A loudspeaker provides the acclaimed Steinway & Sons sound performance from a loudspeaker designed for room-friendly placement against a wall. This makes the Model A the first choice when the room shape or interior demands a more space-saving setup, even in apartments, penthouses, or yachts, as well as rooms without the space for separate woofers.

No compromises have been made in the technology: The company's own Air Motion Transformer tweeter and dedicated midrange driver provide outstanding clarity and transparency, while two powerful 12" woofers deliver deep, defined bass.

Design and quality on the highest level

The distinctive design with black piano finish, black strings, and matte gold details resembles the famous Steinway & Sons pianos, while each loudspeaker is assembled and finished by hand in Denmark.

The Model A loudspeaker comes as standard in matte black with high gloss black side panels and matte gold details, and can be customized with polished gold details as well as other lacquers and finishes, on request and special order.

Model O

Sleek and stylish full-range loudspeaker with a small footprint





A single sleek package

This full-range loudspeaker is designed to provide the legendary Steinway & Sons performance in a sleek package without the need for a separate woofer.

The Steinway & Sons Model O functions impeccably as a surround speaker or a simple stereo setup, and its small footprint makes it a perfect alternative to wall mounted speakers.

A stunning performance

Like all Steinway Lyngdorf speakers, the Model O utilizes an Air Motion Transformer (AMT) for high frequency reproduction. The AMT has an active surface area four times bigger than a normal dome tweeter. The resulting resolution and stress-free movements ensure the correct and detailed reproduction of all overtones of the instruments playing.

The midrange driver is a specially designed 6" aluminum driver with a large neodymium magnet. This driver is extremely efficient yet compact in size, making it the ideal solution for maximizing performance while minimizing cabinet size. The driver is paired with an 8" slave unit to provide full-range reproduction and impactful bass.

Model M

Stylish high-performance on-/in-wall loudspeaker with rigid aluminum enclosure





Dynamic and flexible

The Model M series is anything you want it to be. For style-conscious audio enthusiasts who prefer a discreet, customizable installation, the Model M delivers. The system's slim and stylish architectural speakers offered in a high gloss piano lacquer or customized to any color can be mounted on wall, semi on wall, or in wall. Whether a large home theater or an intimate living room, your environment reflects your design style. The Model M just makes it sound better.

For music and movie lovers

The Model M has extraordinarily high-quality midrange drivers and an AMT tweeter in a 100% aluminum cabinet, providing outstanding sound quality. Together with a left and right Steinway woofer, the sound performance from this in-wall / on-wall speaker is on-par with the very best floor standing high-end audio loudspeakers. In combination with large Steinway front speakers, the Model M also keeps the sound quality level adequately high used for the center and surround channels.

Model S

Petite and innovative ambience-enhancing loudspeaker





A match made in heaven

The Model S series is the small system with big reach, thanks to the S-15 speaker and S-210 boundary woofer.

The S-15 is a sleek speaker featuring a cabinet CNC-machined from solid aluminum and the innovative AER (Ambience Enhancing Radiation) dipole tweeter design. The S-210 boundary woofer is a floor-standing woofer that delivers powerful and tonally accurate bass in a discreet footprint.

Compact power

The performance of the Model S series is nothing short of extraordinary. Recognized with numerous awards and accolades, the series has been installed in hundreds of high performance home cinemas and living rooms all over the world.

It is petite and so discreet it can be installed without compromising décor, and it is the clear choice for those seeking perfection in a compact design.

Model S Soundbar

High-performance soundbar for on-wall and furniture placement







Redefining soundbar performance

The Model S Soundbar redefines soundbar performance, delivering extraordinary clarity, outstanding musicality, and exceptionally powerful bass. The RoomPerfect™ technology calibrates the soundbar for any room and any placement, always achieving the best possible sound when mounted on-wall or placed on a furniture.

Three renowned Air Motion Transformer tweeters, three dedicated midrange drivers, and two powerful woofers, combined with 1.600 watt of amplification power, turn every movie and music into an extraordinary experience, far beyond what a common soundbar or any built-in TV speaker can deliver.

Based on the renowned Model S speaker technology built into an extra-wide design, the Model S Soundbar can even serve as a powerful high-end audio loudspeaker for music, providing excellent stereo imaging and soundstaging.

Outstanding design and build quality

Made from machined solid aluminum panels, lacquered in matt black or immaculate high gloss black with gold details and signature strings, the Model S Soundbar is as beautiful as it is timeless and durable, built to last for decades.

As every Steinway & Sons loudspeaker, the Model S Soundbar is assembled and finished by hand in Skive, Denmark. Other lacquers and custom finishes are available on request and special order.

Model LS

Line-source loudspeakers for large, deep rooms and long listening distance







Pinnacle sound system

The LS series is the number one choice for larger rooms and spaces with rows of elevated seats. The collection offers commanding floor-standing and modular in-wall speakers, and simply outperforms any other similar system on the market.

You choose whether to keep the focus on the entertainment experience with the in-wall series or to have a system where the speakers make a visual statement of their own with the floor-standing speakers.

Perfect for every seat

The LS series features an innovative line source approach incorporating floor-to-ceiling speakers and boundary woofers.

This design allows sound to propagate undistorted over long distances, ensuring that every seat in the room has the same volume level and tonal consistency.



Floor-standing speakers

The LS Concert, and its smaller brother the LS Studio, blend the dipole design from the flagship Model D with the line source approach from the in-wall LS speakers. At just over 8 and 6.5 feet tall, these open baffle speakers are for rooms where a sound system must sound – and look – impressive.

In-wall and in-room boundary woofers

The LS series offers dedicated in-wall and in-room boundary woofers which match the incredible power of the LS speakers. Stacking options are fully customizable – you can use just one pair for a smaller room, or stack multiple boundary woofers to achieve the same sound pressure in even the largest venues.

Boundary woofers

Woofers for powerful and accurate bass, from stylish to versatile in-wall solutions



The best bass performance

In every movie soundtrack but also in the greatest music recordings, the bass is a substantial part of the sound experience. Steinway Lyngdorf offers a wide range of woofers, from discreet and stylish in-room models in the living room to versatile and stackable installation woofers, ready to fill a grand home theater with sound.

As part of our integrated system approach, any Steinway & Sons woofer model can be combined with any Steinway & Sons loudspeaker to suit the room. The individual combination will be stored in the sound processor, and then perfectly calibrated to the room with our RoomPerfectTM technology and its advanced Bass Management.

Boundary woofers


Our woofers are called boundary woofers because, for the ultimate bass experience, we recommend a pair or stack of boundary woofers placed in the front corners of the room. The direct sound and reflections arrive at the listening positions at the same time, ensuring tight bass and accurate timing. Furthermore, the powerful drive units are designed to start and stop as quickly as possible. Generating massive bass output is not really hard work; the true challenge lies in making it precise and tight – not boomy.

In a Steinway Lyngdorf system, you will experience a quality of bass never heard before from regular subs or speakers.

In-Wall

In-wall and on-wall speakers with exceptional performance for custom installations





Invisible high performance

The In-Wall series speakers are specifically designed to be placed behind acoustically transparent screens, fabric panels, and metal mesh grills. With invisible presence, the In-Wall series offers exceptional performance, versatility, and unbeatable appeal.

This series can be mixed-and-matched with any other item in our product range while maintaining the outstanding performance of each individual component.

In-wall speakers

With a large cabinet size combined with highly efficient drivers, IW-16, IW-26H and IW-26V in-wall speakers have an overall increased sensitivity, allowing for improved dynamic headroom and sound pressure level (SPL) while using less power.

Designed for use as a front speaker in medium and large high-performance home theaters, the IW-66 is a grand performer. It combines striking power with advanced technologies to ensure the most stunning sound experience possible in medium and large home theaters.



In-ceiling speakers

The IC-26 in-ceiling speaker is the perfect choice for immersive sound formats, as its angled design allows for optimum coverage of the entire listening area. It is designed for superior performance when placed inside a wall or ceiling.

The IC-16 speakers are a perfect alternative for in-ceiling installations requiring angled speakers for immersive sound.

Boundary woofers

A stunningly powerful surround sound system can be built by combining the in-wall speakers with any of our standard or custom in-wall boundary woofers. Our woofers provide a fully encompassing experience, and when placed against the recommended boundaries, the direct sound and reflections arrive at the listening position at the same time, ensuring tight bass and accurate timing.

You dream it. We build it.

Custom speakers







Your home. Your system.

Steinway Lyngdorf offers custom products to accommodate special installations and challenging design requirements like shallow wall depths, marine installations, and non-standard room structures.

We also offer bespoke exquisite wood finishes and contemporary custom high-gloss colors to complement your home décor. Using time-honored techniques, trained craftsmen ensure that the finish of each component attains the highest standard of quality.

Your space is your own – and your sound system should sing your unique song.







Hollywood theaters

Steinway Lyngdorf commits to a new level of support for the Digital Cinema Initiative (DCI) with a collection of speakers designed for the ultimate Hollywood cinema and large format screening rooms.

The X speakers are made specifically for both private and commercial projects that demand the highest possible performance. Designed for dedicated in-wall use, the X speakers are based on the already high-performing In-Wall Series but offer a more powerful level of performance.

Xtreme versions

The collection includes two unique in-wall and in-ceiling speakers. The Steinway & Sons X-261 speaker is the extreme version of the successful IW-26V speaker, redesigned and utilizing the more powerful Air Motion Transformer (AMT) from the flagship Model D speaker. This gives the speaker an additional 4dB more peak output, for a total of 120dB with 93.5dB sensitivity. For even greater output, the X-262 operates without a filter in an active crossover bi-amped version, which adds another 2dB of peak output for a total of 122dB.

For immersive height channels, the X-261C is the in-ceiling solution, providing a performance upgrade to the IC-26 speaker currently available. The X-262C is the bi-amplified version.



Marine Speaker

Full-range loudspeaker designed for outdoor use and marine environments







Best-in-class sound for yachts and outdoor

The Marine Speaker brings the acclaimed Steinway & Sons loudspeaker sound performance to luxury outdoor applications, such as yachts, patios, and pool areas. Different from many compact outdoor speakers, the Steinway & Sons Marine Speaker is designed as a full-range highend-audio loudspeaker to effortlessly fill a yacht or pool outdoor area with best-in-class sound, from acoustic singer-songwriter recordings to dynamic dance music and large orchestral pieces.

Coupled with Steinway & Sons amplifiers and the speaker calibration in our sound processors, multiple Marine Speakers can be used together in different arrangements and always achieve the best sound performance in any environment.

Designed for outdoor conditions

The rounded edges, white lacquer and gold trim perfectly blend with outdoor environments, while the aluminum cabinet as well as the drive-units withstand outdoor weather conditions, making the Marine Speaker IP-65 rated. The rigid tubular foot allows secure mounting to the ground on a sundeck or terrace. Two powerful woofers on the front and two more on the back are very unusual for outdoor speakers yet crucial to reproduce a deep and dynamic bass in such environments.

Combined with Steinway & Sons digital amplifiers and processors, the Marine Speaker will provide a convincing sound experience, from relaxed background music to high-energy party tunes.

Our Electronics



Head Unit Processor

A complete and elegant media center for audio, video and music





A statement processor

Together with the iconic volume wheel, the Head Unit Processor is the perfect partner when the Steinway & Sons loudspeakers are placed visibly in the room.

Featuring HDMI inputs and outputs, the Head Unit Processor can function as a media center for high-performance stereo systems and surround sound systems (up to 12 native channels). It also supports immersive audio formats and advanced video formats including 8K with the new high dynamic range (HDR) formats.

Remote Control

Elegant remote control with 24k gold plating and Swiss bearings





Deluxe elegance

The Steinway Lyngdorf remote control for stereo and surround sound systems features a rotating wheel crafted from solid, gold-plated or chromeplated brass and mounted on precision-machined Swiss bearings.

It's elegance you can touch, integrity you can feel. It provides intuitive and total command of your Steinway Lyngdorf system.

Steinway & Sons

SP-1

Stereo processor with RoomPerfect™ for digital and analog sound sources





Exquisite stereo

Ideal for music connoisseurs who demand the very best in stereo processing, the Steinway & Sons SP-1 stereo processor is a stereo experience like none you've ever imagined.

The SP-1 is fully digital, features RoomPerfect™, and is simple to use. The SP-1 pairs perfectly with the CDP-1 CD player as well as any Steinway Lyngdorf component for a stereo sound experience that meets your needs. No matter how you configure the system, the SP-1 guarantees powerful and true-to-life audio performance.

Steinway & Sons

P100 2.1

Surround processor with RoomPerfectTM for the ultimate performance and immersive audio in smaller setups





The ideal media center

With a built-in media player and the ability to decode 12 native channels, the Steinway & Sons P100 2.1 is ideal as a media center for slightly smaller surround systems and high-performance stereo systems. The P100 2.1 is equipped with the advanced technologies for which Steinway Lyngdorf is known, including RoomPerfectTM and fully digital signal processing. P100 2.1 supports all video resolutions including 8K with the new high dynamic range formats.

Full support of every audio format

Like the larger P300 2.1 processor, the P100 2.1 offers support of all audio formats, including the latest in immersive surround sound formats. It can intelligently optimize the received audio formats to your speaker setup.

Steinway & Sons

P300 2.1

Surround processor with RoomPerfect[™] for the ultimate performance and immersive audio





State-of-the-art processing

For large theaters and clients with access to first-run content, the P300 2.1 offers two optional input boards, an AES3 or an AES67 board, allowing seamless integration with DCI-compliant processors and servers. For these connoisseurs, multiple P300 processors may be stacked together allowing one to map out up to 64 channels of native decoding and making it compliant with any commercial cinema specification.

The P300 2.1 offers full support for all immersive sound formats such as Dolby Atmos®, DTS:X, and AURO-3D®, as well as 8K and 3D video, HDCP 2.3, and advanced HDMI switching. The P300 2.1

features full HDMI matrix functionality between the five HDMI inputs and two outputs, and this new masterpiece now supports the HDMI 2.1 including features eARC, and Dynamic Lip-Sync as well as the latest decoding and post-processing formats. The P300 2.1 supports 40 Gbps fixed rate link (FRL) and 18 Gbps transition minimized differential signaling (TMDS) video rates.

It also supports variable refresh rate (VRR), Quick Frame Transport (or Fast Vactive), and auto low latency mode (ALLM) support and high dynamic range (HDR) metadata passthrough for HDMI dynamic HDR, HDR10+, and Dolby VisionTM.



Built-in media player

The P300 2.1 features a built-in media player, including Spotify Connect, Tidal Connect, Airplay 2, Roon as well as internet radio. Through a cabled network or USB connector, you can access your FAT32 based library of music and enjoy it in stereo or upmixed to enjoy it on a multi-channel format.

The perfect sound with RoomPerfectTM

The P300 2.1 is equipped with our proprietary RoomPerfectTM room-correction software, the world's most sophisticated technology for adapting the sound system to the environment. With RoomPerfectTM, P300 2.1 delivers an uncompromised sound experience equally well to living rooms, media rooms, and home theaters, with far less demands to design the room around the sound system.

Steinway & Sons

A1 & A2

Powerful and reliable amplifiers for clear, defined sound



STEINWAY & SONS



STEINWAY & SONS

Uncompromised quality

The 2-channel A1 and 4-channel A2 fully digital amplifiers are unique in their construction as well as their performance. They are the premier choice for both stereo and surround sound setups.

Both amplifiers utilize true digital amplification ensuring that the signal processing is handled entirely in the digital domain - without any sound-deteriorating analog conversions.

Foundation in the Steinway Lyngdorf line

The A1 and A2 do the heavy lifting for every stereo and surround sound system in the Steinway Lyngdorf line. The amplifiers are a lot more than power amplifiers - they handle the cross-over points, filters, etc. By handling all of this in the amplifiers instead of the processor, the Steinway Lyngdorf systems are completely scalable and can easily adapt to any room or system size.



The smartest amplifiers

The A1 and A2 are not only incredibly smart, they are also designed with green lifestyle practices in mind. The amplifiers are amazingly efficient, which lowers the power requirements, eliminates the need for power conditioners and most importantly, reduces heat output which eliminates the need for a cooling system in most conditions. This efficiency and low heat output combined with exquisite build quality extends lifespan and increases reliability.



Steinway & Sons

CDP-1

Purely digital CD-Player with elegant and slim design





Superior technology

Meet the CDP-1, the CD player that truly complements the superior technology and exquisite quality of the entire Steinway Lyngdorf product line. Designed with sophistication, the CDP-1 offers clear and crisp sourcing for the best audio experience.

Solid construction

The CDP-1 is built with a thick, vibration-free chassis frame with a vibration-damped lid, which gives it a rock-solid construction. But don't let its stout presentation fool you. With its clean lines and sleek black finish, the CDP-1 is a sharp, elegant addition for any Steinway Lyngdorf system.

Accessories



Optional accessories

The S-15 speaker has two optional accessories for ideal performance when placed on the floor, shelf or tabletop. The elegant table stand is low-profile and directs the sound up towards the listener from a low table or counter position.

The floor stand comes in two designs, free-standing or boundary. The boundary floor stand is used to position the speaker close against the wall or boundary for optimal performance, while the free-standing stand provides additional stability when away from the wall.


Sleek and easy to install

The In-Wall Series is designed for easy installation with a solid backbox for in-wall and in-ceiling use.

The installation is completed with a sleek bezelless grill for a clean finish.









Steinway & Sons P300 2.1 surround sound processor

Description Rack mount or freestanding surround sound processor

Key features RoomPerfect™, decoding up to 16 channels and handling up

to 256 output channels, HDCP 2.2, 8K resolution, video scaling, 3D video, Dolby Atmos®, DTS:X, AURO-3D®,

HDR video

Decoding Dolby Atmos®, DTS:X, AURO-3D®, and all legacy formats,

16 native channels

Post processing Dolby Surround, Auro-Matic®, DTS Neural:x, DTS NEO:X

Inputs Audio

 $5 \times HDMI^{TM}$ (\leq 192kHz/24bit), 1 x AES/EBU S/P-DIF input (192kHz/24bit), 3 x S/P-DIF coaxial inputs (192kHz/24bit), 4 x S/P-DIF optical inputs (\leq 96Hz/24bit), 1 x USB audio input

(≤192kHz/32bit), 1 x microphone input (XLR) for

 $RoomPerfect^{\text{TM}}$

Video:

Video: 5 x HDMITM (2.1 - HDCP 2.3), accepts 8k30 RGB YCbCr 4:4:4 10-bit video, 8k60 YCbCr 4:2:0 10-bit high definition video, and 4k120 4:4:4 10-bit high frame rate video, Variable refresh rate (VRR), fast vactive (FVA), and auto low latency mode ALLM) support. accepts HDR, Dolby VisionTM

and HLG

Outputs Audio:

 $5\ x$ Steinway Lyngdorf Digital Links (CAT 5e based), $1\ x$ single ended stereo analog output for secondary audio output (Zone 2), $1\ x$ SPDIF coax digital stereo output for secondary

audio output (Zone 2 / Fix: 96kHz/24bit)

Video:

2 x HDMITM (2.1b, eARC compatible)

Control interfaces 1 x DB9 RS232 connector, 2 x IR sensor inputs, 1 x IR output

(loop from one of the sensor inputs), 1 x trigger input, 4 x trigger outputs, 1 x RJ45 ethernet LAN connector, 2 x USB connectors (backup, updates + FAT32 media storage), 1 x SD card slot (backup - storage for system software and settings)

Interface options RS232, Ip, Web interface, Ihiji, Remote Control App on iOS

and Android platforms

Optional modules 16 channel DCI-compliant digital AES3 (DB25) or AES67 input

for movie servers and processors (\leq 192kHz/32bit)

Media player Internet radio (vTuner, airable), AirPlay 2, Spotify Connect,

Tidal Connect with Dolby Atmos Music, Roon Ready,

DLNA Support of FAT32 based media storage

Placement options Rack mount or freestanding

Dimensions (H x W x D)

Dimensions (H x W x D)

5.4 x 17.7 x 13.4/15.4* in

Freestanding

13.3 x 45.0 x 34.2/39.6* cm

13.8 x 45.0 x 34.2/39.6* cm

Rack mount

5.1 x 17.7 x 13.4/15.4* in (3RU high)


Weight 8.4 kg / 18.5 lbs

Finish Matte black

Item no. 900100080

Comments * Incl/excl cables







Steinway & Sons P100 2.1 surround sound processor

Description Rack mount or freestanding surround sound processor

Key features RoomPerfect™, capable of handling up to 12 output channels,

HDCP 2.2, 4K resolution, video scaling, 3D video, Dolby

Atmos®, DTS:X, AURO-3D®, HDR video

Decoding Dolby Atmos®, DTS:X, AURO-3D®, and all legacy formats, 12

native channels (16 channels upmixing)

Post processing Dolby Surround, Auro-Matic®, DTS Neural:x, DTS NEO:X

Inputs Audio

1 x AES/EBU S/P-DIF input, 3 x S/P-DIF coaxial inputs, 4 x S/P-DIF optical inputs, 1 x USB audio input, 1 x Balanced stereo analog input (XLR), 4 x Single ended stereo analog inputs (RCA), 1 x Multichannel single ended analog input

(RCA), 1 x Microphone input (XLR),

Video:

3 x HDMI™ with full resolution

Outputs Audio:

5 x Steinway Lyngdorf Digital Links (CAT 5e based) 1 x Stereo analog for secondary audio output (RCA)

1 x S/P-DIF coaxial digital output

Video:

2 x HDMI with full resolution & ARC compatible

Control interfaces 1 x DB9 RS232 connector, 2 x IR sensor inputs, 1 x IR output

(loop from one of the sensor inputs), 1 x trigger input, 4 x trigger outputs, 1 x RJ45 ethernet LAN connector, 2 x USB connectors, 1 x SD card slot (Backup – storage for system

software and settings)

Interface options RS232, IP, web interface, ihiji, Remote Control app on iOS

and Android platforms

Media player Internet radio (vTuner, airable), AirPlay 2, Spotify Connect,

Tidal Connect with Dolby Atmos Music, Roon Ready,

DLNA Support of FAT32 based media storage

Placement options Rack mount or freestanding

Dimensions (H x W x D)

Freestanding 5.4 x 17.7 x 13.4/15.4* in

Dimensions (H x W x D)

13.3 x 45.0 x 34.2/39.6* cm

13.8 x 45.0 x 34.2/39.6* cm


Rack mount

5.1 x 17.7 x 13.4/15.4* in (3RU high)

Weight 6.6 kg / 14.6 lbs

Finish Matte black
Item no. 900100018

Comments * Incl/excl cables



Steinway & Sons SP-1 stereo processor

Description Rack mount or freestanding stereo processor

Key features 2 channel RoomPerfect™, digital delay, voicings,

graphic display

Input Digital:

4 x S/P-DIF optical inputs, 6 x S/P-DIF optical inputs

1 x USB audio input

4 x Single ended stereo analog inputs (RCA)

1 x Microphone input (XLR)

Output 3 x Steinway Lyngdorf Digital Link (CAT 5e based)

Miscellaneous 1 x Trigger input, 1 x IR sensor input

1 x USB (software update), 1 x RJ 12 (RS 232 control)

Dimensions (H x W x D)

Freestanding

4.9 x 45.0 x 26.5/31.5* cm 1.9 x 17.7 x 10.4/12.4* in

Dimensions (H x W x D) 4.4 x 45.0 x 26.5/31.5* cm

Rack mount 1.7 x 17.7 x 10.4/12.4* in (1RU high)

Weight 5 kg / 11 lbs Finish Matte black Item no. 90010030

Comments * Incl/excl cables



i 0000000000 0880000000 []

Steinway & Sons A1 fully digital amplifier

Description Rack mount or freestanding

2 channel fully digital power amplifier

Active Eq., voicings, crossover, time delay Key features

Input 1 x Steinway Lyngdorf Digital Link (CAT 5e based)

1 x RJ12 RS232 connector

1 x Steinway Lyngdorf Digital Link (CAT 5e based) Output

2 x Speakon® speaker output

Power rating 2 x 400W @4 Ohm

Dimensions (H x W x D)

4.9 x 45.0 x 34.6/39.6* cm 1.9 x 17.7 x 13.6/15.6* in

Dimensions (H x W x D)

4.4 x 48.3 x 34.6/39.6* cm

Rack mount

Freestanding

1.7 x 19 x 13.6/15.6* in (1RU high)


Weight 6.6 kg / 14.6 lbs Finish Matte black

90010020 Item no.

* Incl/excl cables Comments







Steinway & Sons A2 fully digital amplifier

Description Rack mount or freestanding

4 channel fully digital power amplifier

Key features Active Eq., voicings, crossover, time delay

Input 1 x Steinway Lyngdorf Digital Link (CAT 5e based)

1 x RJ12 RS232 connector

Output 1 x Steinway Lyngdorf Digital Link (CAT 5e based)

4 x Speakon® speaker output

Power rating 4 x 400W @4 Ohm


Dimensions (H x W x D) $8.7 \times 45.0 \times 34.6/39.6* \text{ cm}$ Freestanding $3.4 \times 17.7 \times 13.6/15.6* \text{ in}$

Dimensions (H x W x D) 8.2 x 48.3 x 34.6/39.6* cm

Rack mount 3.2 x 19 x 13.6/15.6* in (2RU high)

Weight 9.5 kg / 21.0 lbs
Finish Matte black
Item no. 90010040

Comments * Incl/excl cables





Steinway & Sons CDP-1 CD player

Description Freestanding CD player

Key features Red Book CD play back, state-of-the-art sample rate converter

with 24 bit up-sampling, Inter-sample Clipping Correction,

integrated Steinway Link operation

Audio outputs 1 x Optical; 1 x SPDIF, 2 x Digital Link (CAT 5e based)

Miscellaneous 1 x USB (software update), 1 x RJ 12 (RS 232 control)

Dimensions (H x W x D) 4.9 x 45.0 x 27.7/32.7* cm

1.9 x 17.7 x 10.5/12.5* in


(1RU high)

Weight 4.2 kg / 9.3 lbs
Finish Matte black
Item no. 90010060

Comments

* Incl/excl cable CDP-1 can be controlled by any Steinway Lyngdorf processor

or control system



Steinway & Sons Head Unit Processor

Description Stereo and surround sound processor

Key features Control unit with volume wheel and front display, top panel

with display for setup, RoomPerfect $^{\text{IM}}$, capable of decoding Dolby Atmos $\,$ DTS:X, AURO-3D $\,$ B, and all legacy formats,

up to 12 native channels (16 channels upmixing).

Decoding Input 3 x S/PDIF; 1 x AES-EBU; 1 x Toslink (Optical) 3 x

analog single ended, 1 x analog balanced; 1 x input for

microphone

Post processing Dolby surround, AURO-MATIC®, DTS Neural:X, DTS NEO:X

Inputs Audio:

3 x HDMI 2.1, 3 x S/PDIF; 1 x AES-EBU; 1 x Toslink (Optical), 3 x analog single ended, 1 x analog balanced; 1 x input for

microphone

Video:

3 x HDMI 2.1

Outputs Audio:

5 x Steinway Lyngdorf Digital Links (CAT 5e based), 1 x single

ended stereo analog output and 1 \times SPDIF coax digital output

for secondary zones

Video:

2 x HDMI with full resolution, ARC compatible

Interface options RS232, Ip, Web interface, Ihiji, Remote Control App on iOS

and Android platforms

Mediaplayer Internet radio (vTuner, airable), AirPlay 2, Spotify Connect,

Tidal Connect with Dolby Atmos Music, Roon Ready, DLNA

Support of FAT32 based media storage

Video scaling Upscaling of all video to 4K ultra high definition, no

downscaling of 4K video

Control interfaces 1 x DB9 RS232 connector, 2 x IR sensor inputs, 1 x IR output

(loop from one of the sensor inputs), 1 x trigger input, 4 x trigger outputs, 1 x RJ45 ethernet LAN connector, 2 x USB connectors, 1 x SD card slot, (Backup – storage for system

software and settings)

Optional upgrade Iconic RF remote
Placement options Freestanding

Placement options Freestanding

Cooling Passive / no noise

Dimensions (H x W x D) 104.2 x 44.0 x 39.6 cm

40.9 x 17.3 x 15.6 in

Weight 57.0 kg / 125.7 lbs

Finish High-gloss black with gold or chrome accents

Custom colors and wood finishes available

Item no. 900130105





Steinway & Sons Remote Control

Description RF remote control for SP-1 and CDP-1, or Model P100, P200,

P300, Head Unit


Dimensions (\emptyset x H) \emptyset 10.0 x 6.3 cm

Ø 3.9 x 2.5 in

Weight 0.95 kg / 2.1 lbs
Finish Gold or chrome

Item no. 900130300 (for SP-1), 900130302 (for P100, P200, P300,

Head Unit)



Steinway & Sons Model D speaker

Description Floor-standing dipole speaker

Frequency range 20 - 22k Hz Max SPL @ 1m 117 dB


Amplification needed 2 channels or built-in Dimensions (H x W x D) 205.8 x 46.4 x 79.7 cm 81.02 x 18.27 x 31.27 in

Weight 174.0 kg / 383.6 lbs

Finish High-gloss black with gold or chrome accents

Custom colors and wood finishes available

Item no. 90013020x



Steinway & Sons Model B speaker

Description Floor-standing dipole speaker

Frequency range 25 - 22k Hz
Max SPL @ 1m 115 dB
Amplification needed 4 channels

Dimensions (H x W x D) 124.3 x 60 x 30.6 cm


49 x 24 x 12 in

Weight 140 kg / 308 lbs

Finish High-gloss black with gold or chrome accents

Custom colors and wood finishes available

Item no. 90013180x



Steinway & Sons Model A speaker

Description Full-range in-room loudspeaker

Frequency range 25 - 22,000 Hz (-3 dB)

Max SPL @ 1m 114 dB

Amplification needed 2 channels

Dimensions (H x W x D) 115.0 x 50 x 27 cm

45.3 x 19.7 x 10.6 in

Weight 76 kg / 168 lbs

Finish Matte black with black piano finish sides, matte gold details,

black strings

Item no. 9001318x



Steinway & Sons Model O speaker

Description 2-way floor-standing speaker with slave unit

Frequency range 35 - 22k Hz

Max SPL @ 1m 105 dB

Amplification needed 1 channel


Dimensions (H x W x D) 115 x 36 x 14 cm

43.3 x 14.2 x 5.5 in

Weight 37 kg / 81.6 lbs
Finish Black piano finish

Custom colors and wood finishes available

Item no. 90013180x



Steinway & Sons Model C speaker

Description Floor-standing dipole speaker

Frequency range 250 - 22k Hz

Max SPL @ 1m 117 dB

Amplification needed 2 channels

Dimensions (H x W x D) 132.3 x 30.0 x 38.6 cm


52.1 x 11.8 x 15.2 in

Weight 42.4 kg / 93.5 lbs

Finish High-gloss black with gold or chrome accents

Custom colors and wood finishes available

Item no. 900130521, 900130522



Steinway & Sons Model S-15 speaker

Description Bookshelf, on-wall, on-ceiling, floor-stand speaker

Frequency range 120 – 22k Hz

Max SPL @ 1m 114 dB

Amplification needed 1 channel

Dimensions (H x W x D) 26.0 x 20.0 x 7.9 cm


10.2 x 7.8 x 3.1 in

Weight 4.4 kg / 9.7 lbs

Finish Matte black, satin silver, high gloss black, high gloss white

Custom colors available

Item no. 90013025x, 90013026x



Steinway & Sons Model S-210 boundary woofer

Description Floor-standing boundary woofer

Frequency range 25 – 500 Hz

Max SPL @ 1m 114 dB (117 dB corner)

Amplification needed 1 channel

Dimensions (H x W x D) 37.3 x 36.0 x 36.0 cm

14.7 x 14.2 x 14.2 in

Weight 20.5 kg / 45.2 lbs

Finish Matte black, satin silver, high gloss black, high gloss white

Custom colors available

Item no. 90013025x, 90013026x, 90013027x



Steinway & Sons Model S Soundbar

Description Full-range soundbar for on-wall and furniture placement

Amp channels 4 (A1 or A2 amplifiers) Frequency range 40 – 20.000 Hz (-3dB)

Drivers 2 x 10" woofers, 3 x 5 ¼ midranges, 3 x AMT tweeters

Sensitivity 87 dB / 2,83 v/ 1 m

Peak SPL 113 dB / 1 m


Dimensions (H x W x D) 30.0 x 189.0 x 10.4 cm

11.8 x 74.4 x 4.1 in

Weight 46 kg / 101 lbs

Finish Matte black, high gloss black, custom colors available

Item no.



Steinway & Sons Model M center speaker

Description On-wall, semi in-wall, in-wall speaker

Frequency range 80 - 22k Hz

Max SPL @ 1m 114 dB

Amplification needed 2 channels

Dimensions (H x W x D) 27.0 x 50.0 x 10.0 cm


10.6 x 19.7 x 3.9 in

Weight 9.5 kg / 20.9 lbs

Finish Matte black; high-gloss black with gold or chrome accents

Custom colors available

Item no. 900130241



Steinway & Sons Model M left/right speaker

Description On-wall, semi in-wall, in-ceiling speaker

Frequency range 80 - 22k Hz

Max SPL @ 1m 114 dB

Amplification needed 1 channel

Dimensions (H x W x D) 50.0 x 27.0 x 10.0 cm


19.7 x 10.6 x 3.9 in

Weight 8.5 kg / 18.7 lbs

Finish Matte black; high-gloss black with gold or chrome accents

Custom colors available

Item no. 900130234, 900130231



Steinway & Sons Model M boundary woofer

Description Floor-standing boundary woofer

Frequency range 20 - 500 Hz

Max SPL @ 1m 117 dB (120 dB corner)

Amplification needed 1 channel

Dimensions (H x W x D) 44.6 x 48.2 x 45.5 cm


17.6 x 19.0 x 17.9 in

Weight 35 kg / 77.2 lbs

Finish High-gloss black with gold or chrome accents

Custom colors available

Item no. 90013024x



Steinway & Sons LS concert left/right speaker

Description Floor-standing dipole line source speaker

Frequency range 120 - 22k Hz

Max SPL @ 1m 132 dB (equivalent to a conventional point source SPL @ 1m)

Amplification needed 2 channels

Dimensions (H x W x D) 249.1 x 40.0 x 46.0 cm


98.1 x 15.7 x 18.1 in

Weight 58.4 kg / 128.8 lbs

Finish High-gloss black with matte gold or black accents

Custom colors available

Item no. 900130215, 900130216



Steinway & Sons LS studio left/right speaker

Description Floor-standing dipole line source speaker

Frequency range 120 - 22k Hz

Max SPL @ 1m 131 dB (equivalent to a conventional point source SPL @ 1m)

Amplification needed 2 channels

Dimensions (H x W x D) 200.7 x 40.0 x 46.0 cm


79.0 x 15.7 x 18.1 in

Weight 73.0 kg / 161.0 lbs

Finish High-gloss black with matte gold or black accents

Custom colors available

Item no. 900130213, 900130214



Steinway & Sons LS left/right speaker

Description In-wall stackable speaker

Frequency range 80 - 22k Hz
Max SPL @ 1m 130 dB*

Amplification needed 2 channels

Dimensions (H x W x D) 49.2 x 35.0 x 15.0 cm

19.4 x 13.8 x 5.9 in


Weight 18 kg / 39.7 lbs

Comments Minimum 4 modules

Finish Matte black

Item no. 900130250, 900130251

* Equivalent to a conventional point source SPL @ 1m



Steinway & Sons LS center speaker

Description In-wall stackable speaker

Frequency range 80 - 22k Hz

Max SPL @ 1m 130 dB*

Amplification needed 2 channels

Dimensions (H x W x D) 49.2 x 35.0 x 15.0 cm


19.4 x 13.8 x 5.9 in

Weight 18 kg / 39.7 lbs

Comments Minimum 4 modules

Finish Matte black Item no. 900130252

* Equivalent to a conventional point source SPL @ 1m



Steinway & Sons LS boundary woofer

Description In-wall stackable boundary woofer

Frequency range 20 - 500 Hz

Max SPL @ 1m 117 dB (120 dB corner)

Amplification needed 1 channel

Dimensions (H x W x D) 73.8 x 35.0 x 33.0 cm

29.1 x 13.8 x 13 in

 Weight
 33.5 kg / 73.9 lbs

 Finish
 Matte black

 Item no
 900130255



Steinway & Sons LSR-212 boundary woofer

Description In-room stackable boundary woofer

Frequency range 20 - 500 Hz

Max SPL @ 1m 117 dB (120 dB corner)

Amplification needed 1 channel

Dimensions (H x W x D) 71.0 x 45.0 x 27.0 cm

28.0 x 17.7 x 10.6 in

Weight 35.5 kg / 78.3 lbs

Finish Matte black, high-gloss black, high-gloss white

Custom colors available

Item no. 90013042x



Steinway & Sons LSR-210 boundary woofer

Description In-room stackable boundary woofer

Frequency range 25 - 500 Hz

Max SPL @ 1m 114 dB (117 dB corner)

Amplification needed 1 channel

Dimensions (H x W x D) 61.5 x 38.9 x 23.3 cm


24.2 x 15.3 x 9.2 in

Weight 30.5 kg / 67.3 lbs

Finish Matte black, high-gloss black, high-gloss white

Custom colors available

Item no. 90013042x



Steinway & Sons IW-16 speaker

Description In-wall, in-ceiling speaker

Frequency range 80 – 22k Hz


Max SPL @ 1m 114 dB

Amplification needed 1 channel

Dimensions (H x W x D) 28.6 x 28.6 x 9.5 cm

11.2 x 11.2 x 3.7 in

Weight 5.7 kg / 12.6 lbs
Finish Matte black
Item no. 900140262



Steinway & Sons IW-26V speaker

Description In-wall, in-ceiling speaker

Frequency range 80 - 22k Hz

Max SPL @ 1m 116 dB


Amplification needed 1 channel

Dimensions (H x W x D) 57.0 x 31.0 x 9.5 cm

 $22.4 \times 12.2 \times 3.7$ in

Weight 11.3 kg / 24.9 lbs Finish Matte black

Item no. 900140263



Steinway & Sons IW-26H speaker

Description In-wall speaker
Frequency range 80 - 22k Hz
Max SPL @ 1m 117 dB

Max 31 E @ IIII III III

Amplification needed


Dimensions (H x W x D) 31.0 x 57.0 x 9.5 cm

12.2 x 22.4 x 3.7 in

2 channels

Weight 12.2 kg / 26.9 lbs

Finish Matte black ltem no. 900140264



Steinway & Sons IW-66 speaker

Description In-wall speaker
Frequency range 70 - 20k Hz
Max SPL @ 1m 120 dB


Amplification needed 2 channels

Dimensions (H x W x D) 140.0 x 35.0 x 20.0 cm

55.1 x 13.8 x 7.9 in

Weight 44.0 kg / 97.0 lbs

Finish Matte black Item no. 900130266



Steinway & Sons IC-16 speaker

Description In-ceiling speaker

Frequency range 80 - 22k Hz Max SPL @ 1m 114 dB


Amplification needed 1 channel

Dimensions (H x W x D) 57.0 x 31.0 x 10.0 cm

22.4 x 12.2 x 3.9 in

Weight 8.9 kg / 19.6 lbs Finish Matte black

Item no. 900140265, 900140266



Steinway & Sons IC-26 speaker

Description In-ceiling speaker

Frequency range 80 - 22k Hz


Max SPL @ 1m 116 dB

Amplification needed 1 channel

Dimensions (H x W x D) 22.0 x 35.0 x 22.5 cm

8.7 x 13.8 x 8.9 in

Weight 11 kg / 24.2 lbs Finish Matte black Item no. 900130276



Steinway & Sons X-261 speaker

Description In-wall, in-ceiling speaker


Frequency range 80 - 22k Hz
Max SPL @ 1m 120 dB
Amplification needed 1 channel

Dimensions (H x W x D) 57.0 x 31.0 x 9.5 cm

22.4 x 12.2 x 3.7 in

Weight 11.3 kg / 24.9 lbs

Finish Matte black Item no. 900130278



Steinway & Sons X-262 speaker

Description In-wall, in-ceiling speaker

Frequency range 80 - 22k Hz
Max SPL @ 1m 122 dB
Amplification needed 2 channels


Dimensions (H x W x D) 57.0 x 31.0 x 9.5 cm

22.4 x 12.2 x 3.7 in

900130279

Weight 11.3 kg / 24.9 lbs Finish Matte black

Item no.



Steinway & Sons X-261C speaker

Description In-ceiling speaker

Frequency range 80 - 22k Hz


Max SPL @ 1m 120 dB

Amplification needed 1 channel

Dimensions (H x W x D) 22.0 x 35.0 x 22.5 cm

8.7 x 13.8 x 8.9 in

Weight 11 kg / 24.2 lbs
Finish Matte black
Item no. 900130280



Steinway & Sons X-262C speaker

Description In-ceiling speaker

Frequency range 80 - 22k Hz


Max SPL @ 1m 122 dB

Amplification needed 2 channels

Dimensions (H x W x D) 22.0 x 35.0 x 22.5 cm

8.7 x 13.8 x 8.9 in

Weight 11 kg / 24.2 lbs
Finish Matte black
Item no. 900130281



Steinway & Sons Marine Speaker

Description Outdoor speaker
Frequency range 43 - 20k Hz
Max SPL @ 1m 120 dB

Dimensions (H x W x D) 76.0 x 30.0 x 33.3 cm

29.9 x 11.8 x 13.1 in


Weight 39 kg / 85 lbs

Amplification needed

Finish High gloss white with gloss gold trim

2 channels

Item no. 900130290




Description Base stand (for Marine Speaker)

Dimensions (H x Diameter) 36.0 x 18.0 cm

14.2 x 7.1 in

Finish White

Item no. 900130295



Steinway & Sons Model S-15 table stand


Description Table stand

Dimensions (H x W x D) 5.3 x 19.0 x 7.7 cm

2.1 x 7.5 x 3.0 in

Finish Satin silver, matte black

Item no. 90013038x



Steinway & Sons Model S-15 floor stand

Description Boundary placement and freestanding floor stand

Dimensions (H x W x D) $69.3 \times 24.6 \times 16.6 \text{ cm}$ Boundary placement floor stand $27.3 \times 9.7 \times 6.5 \text{ in}$ Dimensions (H x W x D) $69.3 \times 24.6 \times 24.6 \times 24.6 \text{ cm}$ Freestanding floor stand $27.3 \times 9.7 \times 9.7 \text{ in}$

Finish Matte black

Item no. 900130389, 900130390

Steinway & Sons mounting kit



Description Backbox for Steinway & Sons IC-16 and IW-26 speakers


Dimensions (H x W x D) 64.2 x 38.4 x 10.7 cm

25.3 x 15.1 x 4.2 in

Finish Matte black

Custom colors available

Item no. 900142901



Description Bezel-less grill for Steinway & Sons IC-16 and IW-26

speakers (magnetic)


Dimensions (H x W x D) 64.6 x 38.8 x 0.5 cm

25.4 x 15.2 x 0.2 in

Finish Matte white

Custom colors available

Item no. 900142901



Description Backbox for Steinway & Sons IW-15 speaker

Dimensions (H x W x D) 33.8 x 27.2 x 10.7 cm

13.3 x 10.7 x 4.2 in

Finish Matte black

Custom colors available

Item no. 900142701



Description Bezel-less grill for Steinway & Sons IW-15 speaker

(magnetic)


Dimensions (H x W x D) 34 x 27.4 x 0.5 cm

13.4 x 10.8 x 0.2 in

Finish Matte white

Custom colors available

Item no. 900142701



Description Backbox for Steinway & Sons IW-16 speaker

Dimensions (H x W x D) 35.8 x 35.8 x 10.7 cm

14.1 x 14.1 x 4.2 in

Finish Matte black

Custom colors available

Item no. 900142801



Description Bezel-less grill for Steinway & Sons IW-16 speaker

(magnetic)

Dimensions (H x W x D) $36 \times 36 \times 0.5 \text{ cm}$

14.2 x 14.2 x 0.2 in

Finish Matte white

Custom colors available

Item no. 900142801

